

VOVOX® Sound Conductors for professional users

item	length		plug in	plug out	SRP in EURO excl. VAT
VOVOX® link protect A, unbalanced shielded					
	feet	cm			
6.0701	1,0	30	Phone Plug	Phone Plug	34
6.0706	1,0	30	Phone Plug 90°	Phone Plug 90°	34
6.0702	3,3	100	Phone Plug	Phone Plug	39
6.0703	11,5	350	Phone Plug	Phone Plug	67
6.0714	11,5	350	Silent Phone Plug	Phone Plug	71
6.0707	11,5	350	Phone Plug 90°	Phone Plug	67
6.0716	11,5	350	Silent Phone Plug 90°	Phone Plug	71
6.0704	19,7	600	Phone Plug	Phone Plug	91
6.0715	19,7	600	Silent Phone Plug	Phone Plug	95
6.0708	19,7	600	Phone Plug 90°	Phone Plug	91
6.0717	19,7	600	Silent Phone Plug 90°	Phone Plug	95
6.0705	29,5	900	Phone Plug	Phone Plug	119
6.0709	29,5	900	Phone Plug 90°	Phone Plug	119
6.0710	39,4	2 x 100	Cinch Neutrik	Cinch Neutrik	83
6.0711	78,7	2 x 200	Cinch Neutrik	Cinch Neutrik	106
6.0712	137,8	2 x 350	Cinch Neutrik	Cinch Neutrik	140
6.0713	236,2	2 x 600	Cinch Neutrik	Cinch Neutrik	187

VOVOX® link direct S, balanced unshielded

	feet	cm			
6.0901	3,3	100	XLR female	XLR male	39
6.0913	3,3	100	Phone Plug Stereo	XLR male	39
6.0914	3,3	100	XLR female	Phone Plug Stereo	39
6.0915	3,3	100	Phone Plug Stereo	Phone Plug Stereo	39
6.0909	6,6	200	XLR female	XLR male	50
6.0910	6,6	200	Phone Plug Stereo	XLR male	50
6.0916	6,6	200	XLR female	Phone Plug Stereo	50
6.0917	6,6	200	Phone Plug Stereo	Phone Plug Stereo	50
6.0902	11,5	350	XLR female	XLR male	70
6.0911	11,5	350	Phone Plug Stereo	XLR male	70
6.0918	11,5	350	XLR female	Phone Plug Stereo	70
6.0919	11,5	350	Phone Plug Stereo	Phone Plug Stereo	70
6.0903	16,4	500	XLR female	XLR male	81
6.0912	16,4	500	Phone Plug Stereo	XLR male	81
6.0904	24,6	750	XLR female	XLR male	100
6.0905	32,8	1000	XLR female	XLR male	121
6.0906	16,4	2 x 500	XLR female	XLR male	172
			<i>matched pair in case</i>		
6.0907	24,6	2 x 750	XLR female	XLR male	211
			<i>matched pair in case</i>		
6.0908	32,8	2 x 1000	XLR female	XLR male	251
			<i>matched pair in case</i>		

article	length		Plug In	Plug Out	SRP in EURO excl. VAT
VOVOX® link protect S, balanced shielded					
	feet	cm			
6.1001	3,3	100	XLR female	XLR male	51
6.1013	3,3	100	Phone Plug Stereo	XLR male	51
6.1014	3,3	100	XLR female	Phone Plug Stereo	51
6.1015	3,3	100	Phone Plug Stereo	Phone Plug Stereo	51
6.1009	6,6	200	XLR female	XLR male	67
6.1010	6,6	200	Phone Plug Stereo	XLR male	67
6.1016	6,6	200	XLR female	Phone Plug Stereo	67
6.1017	6,6	200	Phone Plug Stereo	Phone Plug Stereo	67
6.1002	11,5	350	XLR female	XLR male	90
6.1011	11,5	350	Phone Plug Stereo	XLR male	90
6.1018	11,5	350	XLR female	Phone Plug Stereo	90
6.1019	11,5	350	Phone Plug Stereo	Phone Plug Stereo	90
6.1003	16,4	500	XLR female	XLR male	110
6.1012	16,4	500	Phone Plug Stereo	XLR male	110
6.1004	24,6	750	XLR female	XLR male	140
6.1005	32,8	1000	XLR female	XLR male	170
6.1006	16,4	2 x 500	XLR female	XLR male	231
		<i>matched pair in case</i>			
6.1007	24,6	2 x 750	XLR female	XLR male	291
		<i>matched pair in case</i>			
6.1008	32,8	2 x 1000	XLR female	XLR male	351
		<i>matched pair in case</i>			

VOVOX® link protect AD S/P-DIF 75 Ohm

6.2101	3,3	100	Cinch Neutrik	Cinch Neutrik	44
6.2102	6,6	200	Cinch Neutrik	Cinch Neutrik	58
6.2103	11,5	350	Cinch Neutrik	Cinch Neutrik	79
6.2104	16,4	500	Cinch Neutrik	Cinch Neutrik	98
6.2105	24,6	750	Cinch Neutrik	Cinch Neutrik	133
6.2106	32,8	1000	Cinch Neutrik	Cinch Neutrik	166
6.2107	3,3	100	BNC	BNC	54
6.2108	6,6	200	BNC	BNC	68
6.2109	11,5	350	BNC	BNC	89
6.2110	16,4	500	BNC	BNC	107
6.2111	24,6	750	BNC	BNC	142
6.2112	32,8	1000	BNC	BNC	175

VOVOX® link direct SD AES/EBU 110 Ohm

6.2001	3,3	100	XLR female	XLR male	35
6.2002	6,6	200	XLR female	XLR male	45
6.2003	11,5	350	XLR female	XLR male	63
6.2004	16,4	500	XLR female	XLR male	72
6.2005	24,6	750	XLR female	XLR male	90
6.2006	32,8	1000	XLR female	XLR male	109

article	length	Plug In	Plug Out	SRP in EURO excl. VAT
VOVOX® mucolink direct S 8, multicorecable for 8 bal.lines, unshielded				
<i>length 1 meter / 3,3 feet</i>				
7.1501-1		SUB-D25	SUB-D25	269
7.1502-1		SUB-D25	8x XLR-M	299
7.1503-1		8x XLR-F	SUB-D25	299
7.1504-1		8x XLR-F	8x XLR-M	329
7.1505-1		SUB-D25	8x Phone Plug Stereo	299
7.1506-1		8x Phone Plug Stereo	SUB-D25	299
7.1507-1		8x Phone Plug Stereo	8x Phone Plug Stereo	329

please add 79.- € excl. VAT for every additional meter

VOVOX® mucolink protect S 8, multicorecable for 8 bal.lines, shielded				
<i>length 1 meter / 3,3 feet</i>				
7.1601-1		SUB-D25	SUB-D25	319
7.1602-1		SUB-D25	8x XLR-M	349
7.1603-1		8x XLR-F	SUB-D25	349
7.1604-1		8x XLR-F	8x XLR-M	379
7.1605-1		SUB-D25	8x Phone Plug Stereo	349
7.1606-1		8x Phone Plug Stereo	SUB-D25	349
7.1607-1		8x Phone Plug Stereo	8x Phone Plug Stereo	379

please add 118.- € excl. VAT for every additional meter

VOVOX® drive, Speaker Cable					
	feet	cm			
6.1401	3,3	100	Phone Plug	Phone Plug	40
6.1403	3,3	100	Speakon	Speakon	40
6.1402	6,6	200	Phone Plug	Phone Plug	60
6.1404	6,6	200	Speakon	Speakon	60

VOVOX® power low voltage					
		cm			
6.1901	<i>new</i>	110	DC-Plug	DC-Plug	40
6.1902	<i>new</i>	110	DC-Plug	5 x DC-Plug	147