

VOVOX® Sound Conductors for professional users

item	length		plug in	plug out	SRP USD duty paid
VOVOX® link protect A, unbalanced shielded					
	feet	cm			
6.0701	1,0	30	1/4" Phone Jack	1/4" Phone Jack	64
6.0702	3,3	100	1/4" Phone Jack	1/4" Phone Jack	73
6.0703	11,5	350	1/4" Phone Jack	1/4" Phone Jack	126
6.0714	11,5	350	Silent 1/4" Phone Jack	1/4" Phone Jack	134
6.0704	19,7	600	1/4" Phone Jack	1/4" Phone Jack	172
6.0715	19,7	600	Silent 1/4" Phone Jack	1/4" Phone Jack	180
6.0705	29,5	900	1/4" Phone Jack	1/4" Phone Jack	225
6.0706	1,0	30	1/4" Phone Jack 90°	1/4" Phone Jack 90°	64
6.0707	11,5	350	1/4" Phone Jack 90°	1/4" Phone Jack	126
6.0708	19,7	600	1/4" Phone Jack 90°	1/4" Phone Jack	172
6.0709	29,5	900	1/4" Phone Jack 90°	1/4" Phone Jack	225
6.0710	39,4	2 x 100	RCA Jack	RCA Jack	157
6.0711	78,7	2 x 200	RCA Jack	RCA Jack	201
6.0712	137,8	2 x 350	RCA Jack	RCA Jack	265
6.0713	236,2	2 x 600	RCA Jack	RCA Jack	353

VOVOX® link direct S, balanced unshielded					
	feet	cm			
6.0901	3,3	100	XLR female	XLR male	73
6.0913	3,3	100	TRS Jack	XLR male	73
6.0914	3,3	100	XLR female	TRS Jack	73
6.0915	3,3	100	TRS Jack	TRS Jack	73
6.0909	6,6	200	XLR female	XLR male	95
6.0910	6,6	200	TRS Jack	XLR male	95
6.0916	6,6	200	XLR female	TRS Jack	95
6.0917	6,6	200	TRS Jack	TRS Jack	95
6.0902	11,5	350	XLR female	XLR male	132
6.0911	11,5	350	TRS Jack	XLR male	132
6.0918	11,5	350	XLR female	TRS Jack	132
6.0919	11,5	350	TRS Jack	TRS Jack	132
6.0903	16,4	500	XLR female	XLR male	152
6.0912	16,4	500	TRS Jack	XLR male	152
6.0904	24,6	750	XLR female	XLR male	190
6.0905	32,8	1000	XLR female	XLR male	229
6.0906	16,4	2 x 500	XLR female	XLR male	324
			<i>matched pair in case</i>		
6.0907	24,6	2 x 750	XLR female	XLR male	399
			<i>matched pair in case</i>		
6.0908	32,8	2 x 1000	XLR female	XLR male	474
			<i>matched pair in case</i>		

article	length		Plug In	Plug Out	SRP USD duty paid
VOVOX® link protect S, balanced shielded					
	feet	cm			
6.1001	3,3	100	XLR female	XLR male	97
6.1013	3,3	100	TRS Jack	XLR male	97
6.1014	3,3	100	XLR female	TRS Jack	97
6.1015	3,3	100	TRS Jack	TRS Jack	97
6.1009	6,6	200	XLR female	XLR male	126
6.1010	6,6	200	TRS Jack	XLR male	126
6.1016	6,6	200	XLR female	TRS Jack	126
6.1017	6,6	200	TRS Jack	TRS Jack	126
6.1002	11,5	350	XLR female	XLR male	170
6.1011	11,5	350	TRS Jack	XLR male	170
6.1018	11,5	350	XLR female	TRS Jack	170
6.1019	11,5	350	TRS Jack	TRS Jack	170
6.1003	16,4	500	XLR female	XLR male	207
6.1012	16,4	500	TRS Jack	XLR male	207
6.1004	24,6	750	XLR female	XLR male	265
6.1005	32,8	1000	XLR female	XLR male	322
6.1006	16,4	2 x 500	XLR female	XLR male	437
			<i>matched pair in case</i>		
6.1007	24,6	2 x 750	XLR female	XLR male	549
			<i>matched pair in case</i>		
6.1008	32,8	2 x 1000	XLR female	XLR male	664
			<i>matched pair in case</i>		

VOVOX® link protect AD S/P-DIF 75 Ohm					
6.2101	3,3	100	RCA Jack	RCA Jack	84
6.2102	6,6	200	RCA Jack	RCA Jack	110
6.2103	11,5	350	RCA Jack	RCA Jack	150
6.2104	16,4	500	RCA Jack	RCA Jack	185
6.2105	24,6	750	RCA Jack	RCA Jack	251
6.2106	32,8	1000	RCA Jack	RCA Jack	313
6.2107	3,3	100	BNC	BNC	101
6.2108	6,6	200	BNC	BNC	128
6.2109	11,5	350	BNC	BNC	168
6.2110	16,4	500	BNC	BNC	203
6.2111	24,6	750	BNC	BNC	269
6.2112	32,8	1000	BNC	BNC	331

VOVOX® link direct SD AES/EBU 110 Ohm					
6.2001	3,3	100	XLR female	XLR male	66
6.2002	6,6	200	XLR female	XLR male	85
6.2003	11,5	350	XLR female	XLR male	119
6.2004	16,4	500	XLR female	XLR male	137
6.2005	24,6	750	XLR female	XLR male	171
6.2006	32,8	1000	XLR female	XLR male	206

article	length	Plug In	Plug Out	SRP USD duty paid
VOVOX® mucolink direct S 8, multicorecable for 8 bal.lines, unshielded				
	<i>length 3,3 feet / 1 meter</i>	<i>add 121 USD for each additional meter</i>		
7.1501-1		SUB-D25	SUB-D25	506
7.1502-1		SUB-D25	8x XLR-M	563
7.1503-1		8x XLR-F	SUB-D25	563
7.1504-1		8x XLR-F	8x XLR-M	620
7.1505-1		SUB-D25	8x TRS Jack	563
7.1506-1		8x TRS Jack	SUB-D25	563
7.1507-1		8x TRS Jack	8x TRS Jack	620

VOVOX® mucolink direct S 12-/24-channel prices on request

VOVOX® mucolink protect S 8, multicorecable for 8 bal.lines, shielded				
	<i>length 3,3 feet / 1 meter</i>	<i>add 179 USD for each additional meter</i>		
7.1601-1		SUB-D25	SUB-D25	607
7.1602-1		SUB-D25	8x XLR-M	664
7.1603-1		8x XLR-F	SUB-D25	664
7.1604-1		8x XLR-F	8x XLR-M	722
7.1605-1		SUB-D25	8x TRS Jack	664
7.1606-1		8x TRS Jack	SUB-D25	664
7.1607-1		8x TRS Jack	8x TRS Jack	722

VOVOX® mucolink protect S 12-/24-channel prices on request

VOVOX® drive, Speaker Cable				
	feet	cm		
6.1401	3,3	100	1/4" Phone Jack	1/4" Phone Jack
6.1403	3,3	100	Speakon	Speakon
6.1402	6,6	200	1/4" Phone Jack	1/4" Phone Jack
6.1404	6,6	200	Speakon	Speakon

VOVOX® power low voltage				
		cm		
6.1901		110	DC-Plug	DC-Plug
6.1902		110	DC-Plug	5 x DC-Plug